

VOLTECK CÓDIGO: 48130 CLAVE: CODO-IB

Contacto dúplex aterrizado, color blanco, línea Italiana

- Placa de ABS, contacto de polipropileno y policarbonato
- Con retardante a la flama para mayor seguridad



Datos de empaque	
Empaque individual: Bolsa	
Empaque logístico	Cantidad
Inner	12
Máster	144
Pallet	2304

Certificaciones y garantías

1

AÑO DE GARANTÍA

AÑO DE GARANTÍA

NOM

ANCE

- Cumple la norma: NOM-003-SCFI

Fabricado en China bajo las estrictas especificaciones de GRUPO TRUPER



Para interior



Incluye
tornillería






Retardante
a la flama



Contacto
aterrizado

Especificaciones técnicas	
Color	Blanco
Tensión / Frecuencia	127 V / 60 Hz
Corriente	16 A
Dimensiones de la placa (largo x ancho)	113 x 76 mm



EMPAQUE MASTER

Alto:
54.5 cm
(21 1/2")

Ancho:
24.5 cm
(9 3/4")

Largo:
59.8 cm
(23 1/2")

A brown cardboard master box for Voltack 48130. The box is shown from a three-quarter perspective. It has a label on the front with the Voltack logo, the model number 48130, and a barcode. The box is secured with blue tape on the top and sides.

Contiene: 12 inner (144 piezas)

Peso: 10.16 kg (22.40 lb)